## DO NOT BREAK THE SEAL UNTIL YOU GO THROUGH THE FOLLOWING INSTRUCTIONS

## **QUESTION BOOKLET**

## Name of Post - DENTAL SURGEON

				Booklet Series	D
er your Roll n	umber in t	he above	space)		
ed: 2 Hour				Max. Marks:	- 100
				er your Roll number in the above space) d: 2 Hour	er your Roll number in the above space)

## **INSTRUCTIONS:**

- 1. Use only BLUE/BLACK Ball Point Pen.
- 2. All questions are COMPULSORY.
- 3. All questions carry equal marks.
- 4. Check the BOOKLET thoroughly.

IN CASE OF ANY DEFECT - MISPRINT, MISSING QUESTION/S, <u>GET THE BOOKLET CHANGED</u>. NO COMPLAINT SHALL BE ENTERTAINED AFTER THE TEST.

- 5. Before you mark the answer, fill the particulars in the ANSWER SHEET carefully and correctly. Incomplete & Incorrect particulars may result in your answer sheet not being evaluated by the Computer.
- 6. After completing the test, handover the ANSWER SHEET to the Invigilator.
- 7. For Rough Work, Blank Sheet is provided at the end of the question booklet
- 8. Before filling up the Answer Sheet, Read the instructions for marking the answer sheet carefully printed on the answer sheet.
- 9. Write the BOOKLET SERIES given at the TOP RIGHT HAND SIDE of the question booklet in the space provide in the answer sheet, by darkening the corresponding circles.

Note: Each question carry one mark. No negative marking.

- 1. The third battle of Panipat was fought between
  - A. Ahmed Shah Abdali and Maratha rulers
  - B. Nadir Shah and Mohd. Shah
  - C. Prithvi Raj Chauhan and Mohd. Gauri
  - D. Sher Khan and Humayun
- 2. When was the State of Haryana formed?
  - A. 1<sup>st</sup> Nov., 1966
  - B. 10<sup>th</sup> Dec., 1966
  - C. 2<sup>nd</sup> Jan., 1967
  - D. 4th March., 1967
- 3. Where has the National Dairy Research Institute in Haryana been established?
  - A. At Sirsa
  - B. At Kurukshetra
  - C. At Karnal
  - D. At Jind
- 4. In 1526 the famous battle between Babar and Ibrahim Lodi was fought at -
  - A. Kurukshetra
  - B. Rewari
  - C. Panipat
  - D. Patiali
- 5. How many districts are there in Haryana?
  - A. 21
  - B. 25
  - C. 28
  - D. 32
- 6. The first muslim President of Indian National Congress was:
  - A. Aimal Khan
  - B. Abdul Kalam Azad
  - C. M.A. Jinnah
  - D. Badruddin Tyyabji
- 7. Which of the following laid the foundation of the British Civil Service in India?
  - A. Warren Hasting
  - B. Lord Conrnwallis
  - C. Lord Wellesley
  - D. Lord Canning
- 8. Which one of the following was not a consequence of the 1857 Revolt?
  - A. European troops were increased in India
  - B. Different classes of sepoys were mixed
  - C. Artillery and advanced weapons were placed in European hands
  - D. Hindus and Muslims began to be appeased equally

- 9. Which one of the following is the correct sequence of the age of formation -form the youngest to the oldest- of the given mountain ranges?
  - A. Himalayas, Vindhyas, Western Ghats, Deccan Traps
  - B. Deccan Traps, Western Ghats, Vindhyas, Himalayas
  - C. Himalayas, Western Ghats, Vindhyas, Deccan Traps
  - D. Vindhyas, Himalayas, Deccan Traps, Western Ghats
- 10. The biggest lake in India is:
  - A. Dal lake
  - B. Chilka Lake
  - C. Wular lake
  - D. d) Sambhar Lake
- 11. The state, which has attained the dubious distinction of being topper in the list with the highest encroachment of forest land:
  - A. Bihar
  - B. Andhra Pradesh
  - C. Haryana
  - D. Puniab
- 12. Which one of the following groups of crops is grown in India during the Rabi season?
  - A. Wheat, Barley, Gram
  - B. Rice, maize, wheat
  - C. Barley, maize, rice
  - D. Millet, Gram, Rice
- 13. The Union Territories get representation in:
  - A. Lok Sabha
  - B. Rajya Sabha
  - C. Both Houses of Parliament
  - D. None of the above
- 14. The total number of High Courts in India at present is:
  - A. 15
  - B. 16
  - C. 18
  - D. 21
- 15. The only Union Territory which has a High Court of its own:
  - A. Delhi
  - B. Lakshadweep
  - C. Chandigarh
  - D. Darman and Diu
- 16. Which of the following is wrongly matched:
  - A. Share market- stock exchange
  - B. Interest rate- fiscal policy
  - C. Export subsidy- fiscal policy
  - D. General price index- inflation

17.	VAT is	alternate of:	
	A.	State tax	
	B.	Central tax	e iti) tejgin,s
	C.	Both (a) and (b)	
	D.	Neither (a) nor (b)	турисы
18.	The hea	adquarters of World	Frade Organization is in:
	A.	Montreal	-

D. The Hague

B. SeattleC. Geneva

- 19. Gobar Gas' contains mainly:
  A. Carbon dioxide
  - B. Acetylene
  - C. Ethylene
  - D. Methane
- 20. Which one of the following materials is suitable for water purification?
  - A. Silicones
  - B. Zeolites
  - C. Asbestos
  - D. Quartz
- 21. Which one of the following country is the leading producer of uranim?
  - A. USA
  - B. Canada
  - C. Germany
  - D. Zambia
- 22. Which one of the following Countries has the largest forest area in the world?
  - A. Brazil
  - B. Canada
  - C. Russian Federation
  - D. USA
- 23. English is the official language of which of the following States?
  - A. Manipur
  - B. Nagaland
  - C. Karnataka
  - D. Andhra Pradesh
- 24. National Development Council is:
  - A. Political body
  - B. Non-political body
  - C. Statutory body
  - D. None of the above

- 25. DPT is a vaccine for:
  - A. Diarrhoea, polio and typhoid
  - B. Diphtheria, whooping cough and tetanus
  - C. Diarrhoea, polio and tetanus
  - D. Diptheria, whooping cough and typhoid
- 26. Golden Proportion is
  - **A.** 1: 1.668
  - **B.** 1:0.618
  - C. 1:2.618
  - D. 1:0.1618
- 27. Most preferred Impression material for recording Implant Impressions
  - A. Alginate
  - B. Condensation silicone Impression
  - C. Polyether Impression Material
  - D. Polysulphide Impression Material
- 28. Stress breakers are indicated for use when the clinical examination reveals that the
  - A. residual ridge is atrophic and the teeth are strong
  - B. denture will be tooth borne
  - C. residual ridge is strong and the teeth are weak
  - D. residual ridge is weak and so are the teeth
- 29. Bennett shift is the
  - A. Downward, forward and inward movement of the balancing condyle
  - B. Downward, forward and inward movement of the working condyle
  - C. Bodily shift of the mandible on the working side
  - D. Bodily shift of the mandible on balancing side
- 30. Balancing Ramps are made in Complete Dentures which use
  - A. 0 degree teeth
  - B. 20 degree teeth
  - C. 25 degree teeth
  - D. 33 degree teeth
- 31. The incisal guidance is
  - A. Governed by Phonetics and esthetics
  - B. Governed by esthetics only
  - C. Governed by Pre extraction Records
  - D. Variable and set by the clinician
- 32. Sibilant sounds are produced at
  - A. rest position
  - B. occluding position
  - C. open from resting position
  - D. between rest and occluding position

- 33. Modiolus at the corner of the mouth is formed by all of the following except
  - A. triangularis
  - B. buccinator
  - C. masseter
  - D. orbicularis oris
- 34. A high occlusal contact occurs in the balancing position b/w the lingual cusp of maxillary 1st molar and the buccal cusp of mandibular 1st molar. To eliminate this which surface should be reduced
  - A. lingual cusp of maxillary 1st molar and buccal cusp of mandibular 1st molar
  - B. either lingual cusp of maxillary 1st molar or buccal cusp of mandibular 1st molar
  - C. lingual cusp of maxillary 1st molar with milling paste at the time of denture insertion
  - D. lingual cusp of maxillary 1st molar in centric and occluding position
- 35. Which of the following clinical requirements is not required in order to produce an acceptable functionally generated record of mandibular movements:
  - A. completed opposing restored or natural arch
  - B. acceptable occlusal guidance
  - C. stable record base
  - D. fully adjustable articulator
- 36. Both research and our textbooks state that "the most important factor in RPD treatment" is: (choose one)
  - A. broad stress distribution
  - B. I-bar, mesial rest, guiding plane design
  - C. the final impression
  - D. motivation for plaque control
- 37. If the path of dislodgement is controlled, an I-bar is most often located in .01" undercut on the
  - A. Cemento-enamel junction
  - B. Greatest mesio-distal curvature of the buccal or lingual surface
  - C. Mesio-buccal line angle
  - D. Disto-buccal line angle
- 38. Gagging reflex is caused by
  - A. Trigeminal nerve
  - B. Glossopharyngeal
  - C. Facial nerve
  - D. Recurrent laryngeal
- 39. When should pour polyether impression materials
  - A. Within 24 hours after taking impression
  - B. Within 30 minutes after taking impression
  - C. Should be stored dry and then poured
  - D. Should be stored in humid place

- 40. Which cement is less soluble in the oral cavity
  - A. Polycarboxylate
  - B. Zinc phosphate
  - C. Silicate phosphate
  - D. Glass Ionomer Cement
- 41. The best method of cleaning and toilet cavity
  - A. Alcohol
  - B. Citric acid
  - C. Water
  - D. Organic acid
- 42. Children born with cleft palate, microdontia and glossoptosis have
  - A. Christian disease
  - B. Trenches-Collins Syndrome
  - C. Pierre-Robin Syndrome
  - D. Ectodermal Dysplasia
- 43. The laboratory findings in Paget's disease show
  - A. Elevated calcium, elevated phosphate, and elevated alkaline phosphate.
  - B. Normal calcium, normal phosphate and elevated alkaline phosphate
  - C. Decreased calcium, increased phosphate and elevated alkaline phosphate
  - D. Normal calcium, increased phosphate and elevated alkaline phosphate
- 44. On inspection of lateral boarder of the tongue at the base, which structure would you expect to find
  - A. Filiform papillae
  - B. Fungiform papillae
  - C. Foliate Papillae
  - D. Circumvallate papillae
- 45. A patient suffers a blow to his maxillary central incisor without resulting in fracture. The pulp:
  - A. Immediate necrosis
  - B. Becomes non-vital but only if treatment is delayed too long
  - C. Becomes non vital irrespective of treatment
  - D. No changes is seen later if fracture does not occur
- 46. Patient on anti-coagulant therapy requires an extraction to be performed. Which of the following is NOT true
  - A. Post operative bleeding can be reduced somehow by using tranexemic acid
  - B. Prothrombin values of at least 2.5 is required to perform extraction
  - C. It takes at least 8 hours for heparin to take affects
  - D. Heparin should be administered sub-cutaneous
- 47. Middles aged woman gives a history of intermittent unilateral pain in the sub mandibular region, most probable cause is
  - A. Calculus in the salivary duct resulting in sialolithiasis.
  - B. Ranula
  - C. Cvst
  - D. Mucocele

- 48. What is true in regards to lateral mandibular incisor
  - A. 20% have 2 canals with one foramen
  - B. 20% have 2 canals with two foramina
  - C. 40% have two canals with 10% ending in two foramina
  - D. 40% have two canals with only one ending in two foramina
- 49. Which of the following liquids is not suitable for prolonged immersion of cobalt chrome
  - A. Alkaline peroxidase
  - B. Hypochlorite solutions
  - C. Soap solutions
  - D. Water
- 50. The first forming microbial elements of plaque are
  - A. Aerobic gram positive G+
  - B. Aerobic gram negative GC.
  - C. Anaerobic gram negative GD.
  - D. Anaerobic gram positive G+
- 51. Cast crown fits on die but not on tooth; discrepancy is about 0.3mm what would you do
  - A. Relieve cast from the inside
  - B. Take a new impression and make new crown
  - C. Burnish margins
  - D. Use thick mix of cement
- 52. Which of the following procedures will not achieve sterilization
  - A. Hot air at 160°C "320°F" for 90mins
  - B. Boiling water at 100°C "210°F" for 2 hours
  - C. Autoclave at 121°C "250°F" under 15psi for 20 mins
  - D. Dry heat at 177°C "350°F" for 60mins
- 53. Long bone growth by
  - A. Mitosis in osteoblast
  - B. Mitosis of osteoblast
  - C. Appositional growth in cartilage epiphysis
  - D. Interstitial growth in cartilage epiphysis
- 54. Bone graft method that has shown the greatest osteogenetic potential is
  - A. Freeze-dried bone graft
  - B. Hetrozygous Marrow graft
  - C. Cortical bone graft
  - D. Cancellous bone graft
- 55. Child with less than normal number of teeth, mandibular lateral incisor is larger than usual; on x rays it shows with two roots and two roots canals; your diagnosis is

  - B. Fusion
  - C. Concrescence
  - D. Taurodontism

56	The M	OST stable area to evaluate the craniofacial growth is
50.		
	A.	Nasal floor
	B.	Cranial vault
	C.	Naso maxillary complex
	D.	Anterior cranial base

- 57. Which one of the following systems is not designed to discourage crack propagation by the presence of crystalline second phases?
  - A. Feldspathic porcelains
  - B. Aluminous porcelains
  - C. Porcelains with leucite
  - D. Ceramics with mica
- 58. The final porosity in set PLASTER is approximately:
  - A. 15%
  - B. 20%
  - C. 25%
  - D. 35%
- 59. The setting reaction of plaster is accelerated by all of the following EXCEPT:
  - A. Increased temperature
  - B. Rapid spatulation
  - C. Low relative humidity
  - D. Slurry water
- 60. What is the theoretical amount of water required to react with 100 gms of calcium sulfate hemihydrate to form calcium sulfate dihydrate?
  - A. 15 cc
  - B. 18 cc
  - C. 30 cc
  - D. 50 cc
- 61. Which ONE of the following clinical events intra-orally probably contributes the most to porcelain-to-metal failure?
  - A. Occlusal stresses
  - B. Thermal cycling
  - C. Acid attack at the surface cracks
  - D. Metal flexure near cusps
- 62. Which one of the following impression materials does NOT set by a stepwise polymerization reaction?
  - A. Polysulfide Rubber
  - B. Conventional Silicone Rubber
  - C. Polyether Rubber
  - D. Polyvinyl Siloxane
- 63. Polysulfide impression material sets by which one of the following mechanisms?
  - A. Chain reaction polymerization
  - B. Stepwise polymerization
  - C. Addition polymerization
  - D. Chelation

ations for the setting
anous for the setting
•

- B. 66%
- C. 75%
- D. 94%
- 66. Hygroscopic expansion of investment materials occurs by:
  - A. Crystal impingement producing expansive forces
  - B. Production of more reaction products
  - C. Absorption of water by the filler phase
  - D. Imbibition of water into the spaces between the phases
- 67. What is the minimum acceptable level for visible curing light outputs?
  - A. 150 mW/cm2
  - B. 300 mW/cm2
  - C. 550 mW/cm2
  - D. 1500 mW/cm2
- 68. Which muscle acts on the disto lingual contour of lower denture
  - A. Mentalis
  - B. Masseter
  - C. Mylohyoid
  - D. Buccinator
- 69. The MOST likely factor contributes to tooth eruption is
  - A. The growing root
  - B. Bone growth
  - C. Vascular pressure
  - D. The developing periodontal ligament
- 70. Tissue conditioners tend to harden as a result of:
  - A. loss of moisture
  - B. loss of monomer
  - C. loss of plasticizer
  - D. all the above
- 71. Use of denture adhesives is contraindicated in case:
  - A. immediate dentures
  - B. xerostomia
  - C. poor muscle control
  - D. none of the above

72. Closest speaking space should be ideall	y mud aviu ba	
A. 2-3 mm		
11211	issaidun Humpissa	
C. 0.5-0.9 mm	3 × · ·	A. Zinc
D. 1-1.5 mm		d Polyan Agiran
73. Color temperature of light for shade sele	ection is	1
A. 4500 K	, et 1011 13	
B. 5500 K		55. ,
C. 6500 K		
D. 7500 K		
74. Post cementation pain on biting is due to		•
A. Occlusal overload		
B. Sensitivity to cement		÷
C. Periapical abscess	Marin Hadada in german T	
D. Short margins	escentifications and	
- Short margins	CHICLE WES THE	
75. In implant Prosthodontics classification F	ma®	
A. Only the missing crown	P2 is a fixed prosthesis the	hat replaces
R. The group and sing trown	- 1	
B. The crown and gingival color and	l portion of edentulous sit	te
C. The crown and a portion of root		
D. Overdenture completely supporte	d by implants	
76 Minimum and 1 1		r
76. Minimum required distance between impl	ant and mental foramen s	hould be:-
-1. Simil		
B. 2mm	3	
C. 1mm		4
D. None of the above		
77 Inter implementation		
77. Inter-implant distance should be at least;		
A. 3mm		
B. 2mm		
C. 4mm		
D. 1mm		
70 m.		
78. The waiting period after endodontic therap overdenture treatment is?	y of the abutment tooth b	efore commencing
troutinont is:		ororo commencing
A. 1-2 weeks		4
B. 2-4 weeks		
C. 4-6 weeks		
D. 6-8 weeks	1	$\mathbf{v}(G) = \mathcal{F}$
70 371:1 6:1		Section 1.
79. Which of these attachments is best for cases	with very little interocal	usal space?
- Coka attachinchi	, minor 0001	
B. Gerber attachment		Charles Control
C. Rothermann attachment		Para Para
D. Interofix attachment		

- 80. Main disadvantage of a single complete denture against natural teeth is:
  - A. Abrasion of artificial teeth
  - B. Difficulty in establishing balanced occlusion
  - C. Abrasion of natural teeth
  - D. All of the above
- 81. In normal dentition, Centric Relation coincides with
  - A. Hinge axis
  - B. Centric Occlusion
  - C. Maximum intercuspal position
  - D. Terminal hinge axis
- 82. Anterior reference point helps in following except
  - A. Face bow transfer
  - B. Minor adjustment in vertical dimension
  - C. Arrangement of anterior teeth
  - D. Recording Centric Relation
- 83. Lingualised occlusion concept as such was described by
  - A. Harrison
  - B. Page
  - C. French
  - D. Sears
- 84. Condylar guidance of an articulator is dependent as
  - A. Depth of glenoid fossa
  - B. Vertical overlap of incisors
  - C. Cuspal inclines
  - D. Inclination of articular eminence
- 85. How much Fluoride is present in toothpaste?
  - A. I ppm
  - B. 100 ppm
  - C. 1000 ppm
  - D. 10,000 ppm
- 86. Aging of the pulp is evidenced by an increase in:
  - A. fibrous elements
  - B. Calcifications
  - C. Mesenchymal cells
  - D. Odontoblasts
- 87. The least likely place for a carcinoma to occur in the oral cavity is:
  - A. alveolar ridge
  - B. buccal mucosa
  - C. tongue
  - D. soft palate

88.	Each is	associated with gastric limitation, except
	A.	Acetaminophen
	B.	alcohol.
	C.	ibuprofen,
	D.	indomethacin

- 89. Which injection poses the greatest risk for a hematoma:
  - A. posterior superior alveolar
  - B. Inferior alveolar nerve block
  - C. Nasopalatine
  - D. Buccal infiltration
- 90. How do you treat a patient with a Type II furcation involvement:
  - A. tissue guided regeneration
  - B. flap surgery
  - C. deep periodontal curettage
  - D. hemisection
- 91. Organism implicated in causing severe spreading of abscesses:
  - A. fusobaterium
  - B. staph aureus
  - C. streptococcus
  - D. mycobacterium
- 92. A patient with a new denture cannot make "S" and "TH" sounds. The problem is:
  - A. extensive vertical overlap
  - B. No Vertical Overlap
  - C. increase in Vertical dimension
  - D. decreased vertical dimension
- 93. A patient is taking Ketaconzole (anti-fungal) and requires antibiotic coverage. What antibiotic cannot be given:
  - A. Erythromycin.
  - B. Ciprofloxacin
  - C. Cephalexins
  - D. Penicillins
- 94. In which direction does the palatal root of the upper first molar usually curve towards
  - A. Facial / buccal/
  - B. Lingual
  - C. Mesial
  - D. Distal
- 95. Signs and symptoms that commonly suggest cardiac failure in a patient being assessed for oral surgery are
  - A. Palpitations and malaise
  - B. Ankle oedema and dyspnoea
  - C. Erythema and pain
  - D. Pallor and tremor

- 96. A persistent oroantral fistula for a 12 weeks period following the extraction of a maxillary first permanent molar is best treated by
  - A. Antibiotic therapy and nasal decongestants
  - B. Curettage and dressing of the defect
  - C. Excision of the fistula and surgical closure
  - D. Maxillary antral wash out and nasal antrostomy
- 97. Endogenous morphine like substance which can control pain is known as
  - A. Bradykinins
  - B. Prostaglandins
  - C. Serotonins
  - D. Enkephalins
- 98. What contra indicate pulp capping
  - A. Accidental exposure on vital young molars
  - B. When inflammation of radicular pulp is already present
  - C. When roots are greatly curved and tortuous
  - D. When anterior tooth is vital and immature with wide open apices
- 99. When tooth is twisted along its long axis; it is called
  - A. Mesio version
  - B. Disto version
  - C. Lingo version
  - D. Torsion
- 100. Hypodontia can be seen in
  - A. Cleidocranial dysplasia "dysostosis"
  - B. Down's syndrome
  - C. Papillon le fever syndrome
  - D. Rickets