## **Chemical Supervisors**

- Which of the following statements about periodic properties is incorrect?
   a. Both electron affinity and ionization energy decrease down a group
   b. Atomic size increases to the right across a period \$
   c. Ionization energy increases to the right across a period
   d. Atomic size increases down a group
  - 2. Which one of the following is most likely to be an ionic compound?
    - a. HNF<sub>2</sub>
    - b. H<sub>2</sub>CO
    - c.  $N_2H_4$
    - d. CaCl<sub>2</sub>\$
  - 3. The half-life of an isotope is 3 hours. After 6 hours, what fraction of the initial isotope will be left behind?
    - a. 1/6
    - b. 1/4 \$
    - c. 1/3
    - d. 1/8
  - 4. The lustre of metals is due to
    - a. The high density of the metal
    - b. The high polishing of the metal
    - c. The presence of free electrons \$
    - d. The chemical inertness of the metal
  - 5. Which one of the following elements does not exist as a diatomic molecule in nature?
    - a. Hydrogen
    - b. Nitrogen
    - c. Fluorine
    - d. Neon \$
  - 6. Which of the following is a strong acid?
    - a. HNO<sub>3</sub>\$
    - b. NaOH
    - c. CaSO<sub>4</sub>
    - d. NH<sub>3</sub>
  - 7. An unused flashbulb contains magnesium and oxygen. After use, the contents are changed to magnesium oxide but the total mass does not change. This observation can best be explained by the
    - a. Law of Constant Composition
    - b. Law of Multiple Proportions
    - c. Avogadro's Law
    - d. Law of Conservation of Mass \$
  - 8. Which response lists all of the following properties of sulfur that are physical properties and not other properties?
    - I. It reacts with hydrogen when heated.
    - II. It is a yellow solid at room temperature.
    - III. It is soluble in carbon disulfide.
    - IV. Its density is 2.97 g/cubic centimeter
    - V. It melts at 112°C.
      - a. II, III, IV, and V\$
      - b. II, IV, and V

	c. d.	l II, III, and I
9.	Accord	ing to the Le
	a.	Is a proton
	b.	Is a proton
	c.	Makes ava

- wis theory, a base
  - acceptor
- donor
- ailable a share in a pair of electrons \$
- d. Accepts a share in a pair of electrons
- 10. How many atoms are in one mole of CH<sub>3</sub>OH?
  - a. 6
  - b.  $6.0 \times 10^{23}$
  - c.  $12.0 \times 10^{23}$
  - d.  $3.6 \times 10^{24}$  \$
- 11. A triple bond contains \_\_\_ sigma bond(s) and \_\_\_ pi bond(s).
  - a. 0, 3
  - b. 3, 0
  - c. 2, 1
  - d. 1, 2 \$
- 12. Two isomeric forms of a saturated hydrocarbon
  - a. Have the same structure
  - b. Have different compositions of elements
  - c. Have the same molecular formula \$
  - d. Have a different content of the isotopes of hydrogen
- 13. Hydrolysis (saponification) of a fat would yield
  - a. Water and an alkene
  - b. Ethanol and propanoic acid
  - c. Glycerol and soap \$
  - d. Ethanol and a soap
- 14. The entropy will usually increase when
  - I. a molecule is broken into two or more smaller molecules.
  - II. a reaction occurs that results in an increase in the number of moles of gas.
  - III. a solid changes to a liquid.
  - IV. a liquid changes to a gas.
    - a. II only
    - b. III only
    - c. IV only
    - d. I, II, III, and IV\$
- 15. Which of the following does not correctly describe ammonia?
  - a. Pyramidal molecule
  - b. Extremely soluble in water
  - c. Forms basic aqueous solutions
  - d. None of these \$
- 16. A Geiger-Muller tube is a
  - a. Gas ionization detector \$
  - b. Cloud chamber
  - c. Fluorescence detector
  - d. Spectrophotometer

17.	How old is a bottle of wine if the tritium ( <sup>3</sup> H) content (called activity) is 25% that of a new wine? The half-
	life of tritium is 12.5 years.
	a. 1/4 year
	b. 3.1 years
	c. 25 years \$
	d. 37.5 years
18.	The valence electrons of representative elements are
	a. In s orbitals only
	b. Located in the outermost occupied major energy level \$
	c. Located closest to the nucleus
	d. Located in d orbitals
19.	Which is not a physical property of alcohols or phenols?
	a. Phenols are generally only slightly soluble in water
	b. The solubilities of normal primary alcohols in water decrease with increasing molecular weight
	c. The hydroxyl group of an alcohol is nonpolar \$
	d. Due to hydrogen bonding, boiling points of alcohols are much higher than those of corresponding alkanes
20.	When the concentration of reactant molecules is increased, the rate of reaction increases. The best
	explanation is: As the reactant concentration increases,
	a. The average kinetic energy of molecules increase
	b. The frequency of molecular collisions increases \$
	c. The rate constant increases
	d. The activation energy increases
21.	The speed of a chemical reaction
	a. Is constant no matter what the temperature is
	b. Is independent of the amount of contact surface of a solid involved
	c. Between gases should in all cases be extremely rapid because the average kinetic energy of the
	molecules is great
	<ul> <li>d. Between ions in aqueous solution is extremely rapid because there are no bonds that need to be broken \$</li> </ul>
22.	Consider the titration of 30.0 mL of 0.20 M nitrous acid by adding 0.0500 M aqueous ammonia to it. The
	pH at the equivalence point is (Note: This is the titration of a weak acid with a weak base.)
	a. Greater than 7
	b. Equal to 7
	c. Less than 7 \$
	d. Cannot be determined without more data
23.	What is the pH at the equivalence point in the titration of 100.0 mL of 0.20 M ammonia with 0.10 M
	hydrochloric acid?
	a. 4.6
	b. 5.2 \$
	c. 7.0
	d. 5.5
24.	The precipitate formed when barium chloride is treated with sulfuric acid is
	a. BaS <sub>2</sub> O <sub>4</sub>
	b. BaSO <sub>3</sub>
	c. BaSO <sub>2</sub>
	d. BaSO <sub>4</sub> \$

25.	The vap	or pressure of a solution containing a nonvolatile solute is directly proportional to the
	a.	Molality of the solvent
	b.	Osmotic pressure of the solute.
	c.	Molarity of the solvent
	d.	Mole fraction of solvent \$
26.	Which c	of the following elements has the greatest attraction for electrons in a covalent bond?
	a.	Ge
	b.	As
	С.	
	_	Br \$
	۵.	
27.	Which c	of the following changes would increase the vapor pressure of a liquid?
	I.	An increase in temperature
	II.	An increase in the intermolecular forces in the liquid
	III.	An increase in the size of the open vessel containing the liquid
	a.	I and II only
	b.	I and III only
	c.	I only \$
	d.	II only
28.	The Hei	senberg Principle states that
_0.	a.	No two electrons in the same atom can have the same set of four quantum numbers
	b.	Two atoms of the same element must have the same number of protons
	о. С.	It is impossible to determine accurately both the position and momentum of an electron
	C.	simultaneously \$
	d.	Electrons of atoms in their ground states enter energetically equivalent sets of orbitals singly
		before they pair up in any orbital of the set
29.	Carbon	monoxide has ten bonding electrons and four antibonding electrons. Therefore it has a bond
	order of	
	a.	3\$
	b.	7
	С.	1
	d.	5/2
20	Solublo	metal compounds tend to be found in the, whereas insoluble metal compounds tend to be
30.		the
	a.	Oceans; earth's crust \$
	а. b.	Earth's crust; oceans
	_	·
	C.	Salt beds; oceans
	a.	Oceans; salt beds
31.		on A has an activation energy of 250 kJ and reaction B has activation energy of 100 kJ, which of
	the follo	owing statements is true?
	a.	If reaction A is exothermic and reaction B is endothermic then reaction A is favored kinetically
	b.	At the same temperature the rate of reaction B is greater than the rate of reaction A \$

c. The energy of reaction A must be greater than the energy of reaction Bd. The energy of reaction B must be greater than the energy of reaction A

32. The mass number of an atom is the number of in the atom.
a. Protons
b. Neutrons
c. Protons plus the number of electrons
d. Protons plus the number of neutrons \$
33. What is the name of the process used to make steel from iron?
a. The Basic Carbon Process
b. The Basic Oxygen Process \$
c. The Acidic Oxygen Process
d. The Casting Process
34. Which of the elements is an alkali metal?
a. Sodium \$
b. Calcium
c. Carbon
d. Zinc
35. The atom formed by the beta decay of Carbon – 14 is
a. Oxygen – 18
b. Beryllium – 10
c. Boron – 14
d. Nitrogen – 14 \$
36. If both the volume and pressure of a gas are doubled, how will the absolute temperature change?
a. It will increase by two times its original value
b. It will decrease to one fourth of its original value
c. It will stay the same as the original value
d. It will increase by four times its original value \$
37. Which of the gasses is most soluble in water?
a. N <sub>2</sub>
b. NH <sub>3</sub> \$
c. CH <sub>4</sub>
d. CO <sub>2</sub>
38. If a system loses 250 kJ of heat at the same time that it is doing 500 kJ of work, what is the change in the
internal energy of the system?
a. + 250 kJ
b. – 250 kJ
c. + 750 kJ
d. – 750 kJ \$
39. What would be the volume in litres of 640 g of oil if the density of the oil is 0.8 g/mL?
a. 800 Litres
b. 0.8 Litres \$
c. 512 Litres
d. 0.5 Litres
40. What is the molecular geometry for ammonia (NH <sub>3</sub> )?
a. Saw Horse
b. Trigonal Planar

c. Tetrahedrald. Pyramidal \$

41. Which	one of the following substances can be melted without breaking chemical bonds?
a.	Sodium sulfate
b.	Zinc chloride
c.	Sulfur dioxide \$

- 42. The density of hot and cold water are different mainly because
  - a. The molecules in hot water move slower and are slightly closer together
  - b. The molecules in hot water are larger
  - c. The molecules in hot water move faster and are slightly further apart \$
  - d. The molecules in cold water move faster and are further apart
- 43. Which of the following statements is true?
  - a. A submerged object displaces a volume of liquid equal to the volume of the object \$
  - b. A submerged object displaces a volume of liquid more than the volume of the object
  - c. A submerged object displaces a volume of liquid less than the volume of the object
  - d. None of the above

d. Silicon dioxide

- 44. When will different volumes of water always have the same density?
  - a. When the pressure in the same
  - b. When the temperature is the same \$
  - c. When temperature is different
  - d. None of the above
- 45. A candle made of wax floats in water. Wax comprises of Hydrogen and Carbon while water comprises of Hydrogen and Oxygen. This implies
  - a. Oxygen is lighter than carbon
  - b. Oxygen is heavier than carbon \$
  - c. Oxygen is as heavy as carbon
  - d. Cannot comment on the relative weights if carbon ad oxygen
- 46. A metal that is usually extracted from sea water is
  - a. Calcium
  - b. Potassium
  - c. Magnesium \$
  - d. Sodium
- 47. Which of the following has an octane number of zero?
  - a. 2 methyl octane
  - b. N heptane \$
  - c. Iso octane
  - d. 3 methyl octane
- 48. The hardest from of carbon is
  - a. Charcoal
  - b. Coke
  - c. Graphite
  - d. Diamond \$
- 49. The Avogadro's number is
  - a.  $6.02214129 \times 10^{23}$ \$
  - b. 6.02214129
  - c. 10<sup>23</sup>
  - d. None of the above

alcohol and water

58. Marsh gas is a hydrocarbon gas largely composed of

a. Nitrogenb. Ethanec. Oxygend. Methane \$

	d.	None of the above
60.	Iron, Co	balt and Nickel, as a group of metals, is generally referred to
	a.	Main group metals
	b.	Transition metals \$
	c.	Rare metals
	d.	Alkali metals
61.	DDT is t	he short form of
	a.	Diethyl – diphenyl – trichloromethane
	b.	Dichloro – diphenyl – trichloromethane
	c.	Diphenyl – dichloro – trichloromethane
	d.	Dichloro – diphenyl – trichloroethane \$
62.	Alcohol	is produced by
	a.	Oxidation of an aldehyde
	b.	Esterification of a fat
	c.	Hydrolysis of ether \$
	d.	None of the above
63.	The for	mal chemical name of Oil of Vitriol is
	a.	Hydrochloric Acid
	b.	Sulphuric Acid \$
	c.	Nitric Acid
	d.	None of the above
64.	The cal	orific value of which of the following forms of coal is the highest?
	a.	Lignite
	b.	Anthracite \$
	c.	Peat
	d.	Sub – bituminous
65.	After w	ater, the next major constituent of vinegar is
	a.	Citric Acid
	b.	Acetic Acid \$
	c.	Tartaric Acid
	d.	Sulphuric Acid
66.	The boi	ling point of oxygen is approximately
	a.	– 183 ° C \$
	b.	– 196 ° C
	c.	– 276 ° C
	d.	None of the above
67.	appreci	istage equilibrium conversion of $SO_2$ to $SO_3$ ( $2SO_2 + O_2 \stackrel{\frown}{}$ $2SO_3$ ), the reverse reaction becomes able at a temperature of 550° C. The percentage equilibrium conversion of $SO_2$ to $SO_3$ can be
	increase	·
	a.	Increasing the oxygen concentration
	b.	Putting more quantity of V <sub>2</sub> O <sub>5</sub> catalyst in the converter
	C.	Maintaining low temperature and pressure in the converter
	d.	Removing some quantity of $SO_3$ during intermediate stage \$

59. Under which of the following categories can air be classified?

a. Compoundb. Elementc. Mixture \$

68.	The boil	ling point of nitrogen is approximately
	a.	−183 ° C
	b.	–196°C\$
	c.	– 276 ° C
	d.	None of the above
69.	The add	lition of steel scrap in the LD convertor during the steel making process
	a.	Increases the temperature of the molten hot metal
	b.	Decreases the temperature of the molten hot metal \$
	C.	Does not affect the temperature of the molten hot metal
	d.	None of the above
70.	Which o	of the following forms of sugar is the sweetest?
	a.	Glucose
	b.	Lactose
	c.	Sucrose
	d.	Fructose \$
71	The che	mical compound with the formula C <sub>6</sub> H <sub>2</sub> (NO <sub>2</sub> ) <sub>3</sub> CH <sub>3</sub> is more commonly known as
, 1.	a.	RDX
	b.	Methane
	c.	TNT \$
	d.	None of the above
72.	The che	mical name of bakelite is
	a.	Polyvinyl Chloride
	b.	Polybutadiene
	c.	Phenol formaldehyde \$
	d.	Polyurathane
73.	Which is	s the purest form of iron?
	a.	Cast iron
	b.	Pig iron
	C.	Wrought iron \$
	d.	High silicon iron
74	The nro	cess by which very fine and colloidal particles / impurities are removed from water is called
, -1.	a.	Coagulation \$
	b.	Sedimentation
	C.	Softening
	d.	None of the above
75.	DDT (die	chlorodiphenyltrichloroethane) is
	a.	Colourless
	b.	Tasteless
	C.	Odourless
	d.	All of the above \$
76.	Which o	of the following contain Bromine?
	a.	Fire extinguishing compounds

b. Fire proofing agents

d. All of the above \$

c. Dyes

- 77. Vacuum crystallization of Hydrogen Peroxide leads to e. Increase in the concentration of Hydrogen Peroxide \$

  - f. Decrease in the concentration of Hydrogen Peroxide
  - g. No change in the concentration of Hydrogen Peroxide
  - h. None of the above
- 78. During the manufacture of glass, the addition of which compound reduces the coefficient of thermal expansion of glass?
  - a. Zinc Oxide \$
  - b. Calcium Oxide
  - c. Manganese Dioxide
  - d. None of the above
- 79. Addition of sulphur in to soap ensures
  - a. Improved soap texture
  - b. Faster lather formation
  - c. Increased cleansing action
  - d. None of the above \$
- 80. Which of the followings statements is correct
  - a. The shorter the half-life of an isotope, the more dangerous it is \$
  - b. The longer the half-life of an isotope, the more dangerous it is
  - c. The half-life of the isotope does not matter it is equally difficult to handle
  - d. None of the above
- 81. Henry's law states
  - a. The amount of gas dissolved in a liquid is proportional to its partial pressure \$
  - b. The amount of gas dissolved in a liquid is proportional to its pressure
  - c. The amount of gas is proportional to its partial pressure
  - d. The amount of gas is proportional to its pressure
- 82. The material which can be deformed permanently by heat and pressure is called a
  - a. Chemical compound
  - b. Polymer
  - c. Thermoplastic
  - d. Thermoset \$
- 83. To manufacture Vanaspati (Dalda) from vegetable oil, one needs to use
  - a. Oxygen
  - b. Nitrogen
  - c. Hydrogen \$
  - d. Carbon Dioxide
- 84. Epoxy resins are common ingredient of
  - a. Adhesives \$
  - b. Detergents
  - c. Insect repellants
  - d. Water purifiers
- 85. If a glass is found to be deep blue is colour, it is due to the presence of
  - a. Iron oxide
  - b. Nickel oxide
  - c. Cupric oxide
  - d. Cobalt oxide \$

	a.	NO
	b.	$NO_2$
	C.	$N_2O$ \$
	d.	None of the above
87.	Graphit	e is an allotropic form of
	a.	Carbon \$
	b.	Sulphur
	c.	Silicon
	d.	Germanium
88.	Which o	of the following processes will separate isotopes?
	a.	Filtration
	b.	Sublimation
	c.	Crystallization
	d.	Distillation \$
89.		ect with a density of 0.86 g/cm3 sink is dropped in to a bucket of water and allowed to settle down. ect will, eventually,
	a.	Float in water \$
	b.	Sink in water
	_	Whether it will float of sink will depend on the force with which it is dropped in to the bucket
	d.	Cannot comment based on the given information
90.	Which o	of the following metal will help us obtain copper from a copper sulphate solution?
	a.	Sodium
	b.	Silver
	c.	Iron\$
	d.	Mercury
91.	In gene	ral, if the temperature of a reaction is increased by 20°, the reaction rate will be
	a.	Two times as fast
	b.	Four times as fast \$
	c.	Twenty times as fast
	d.	Unchanged, as the reaction rate is not dependent on the temperature
92.	Which o	of the following elements is expected to be most similar to tin?
	a.	Calcium
	b.	Copper
	c.	Bromine
	d.	Lead \$
93.	A(An) _	is a region of space in which there is a high probability of finding an electron in an
	atom.	
	a.	Shell
	b.	Atomic orbital \$
	c.	Core
	d.	Nucleus

86. The chemical representation of laughing gas is

	metal fo	oil. From these experiments he concluded that:
	a.	Electrons are massive particles
	b.	The positively charged parts of atoms are moving about with a velocity approaching the speed of light
	c.	(c) the positively charged parts of atoms are extremely small and extremely heavy particles \$
	d.	The diameter of an electron is approximately equal to that of the nucleus
95.	What ty	pe of interparticle forces holds liquid N₂ together?
	a.	Ionic bonding
	b.	London forces \$
	c.	Hydrogen bonding
	d.	Dipole-dipole interaction
96.	A mole	cule that cannot be superimposed on its mirror image is said to exhibit which of the following?
	a.	Geometrical isomerism
	b.	Optical isomerism \$
	C.	Linkage isomerism
	d.	Reactive isomerism
97.		tandard notation for a voltaic cell, the double vertical line "  " represents:
	a.	A phase boundary
	b.	Gas electrode
	c.	A wire (metal) connection
	d.	A salt bridge \$
98.	The mo	st abundant metal in the earth's crust is:
	a.	Cu
	b.	Fe
	c.	Na
	d.	AI\$
99.	The boi	ling point of hydrogen is approximately
		−183 ° C
	b.	–196°C
	c.	– 253 ° C \$
	d.	None of the above
100	).For a ga	is, which pair of variables are inversely proportional to each other (if all other conditions remain
	constar	nt)?
	a.	P, T
	b.	P, V \$
	c.	V, T
	d.	n, V

94. Rutherford carried out experiments in which a beam of alpha particles was directed at a thin piece of