Test Booklet Number

Subject Code - 1501

Roll Number

01601

MATHEMATICS & SCIENCE

[Maximum Marks: 300]


[Time: 2 Hours]

INSTRUCTIONS TO CANDIDATES

Read the following instructions carefully before you answer the questions given in this Test Booklet:

- Answers to questions in this Test Booklet are to be given on an OMR Answer Sheet provided to the candidate separately.
- Candidate must fill up Name, Category, Test Booklet Number, Subject Code and Roll Number in the Answer Sheet carefully as per instructions given.
- This Test Booklet consists of 75 questions. All questions are compulsory and carry equal marks.
- Each question in this Test Booklet has four possible alternative answers namely, (A), (B), (C) and (D), one of which is correct. Candidate should choose the correct answer against each question out of four alternative answers.
- 5 Candidate is instructed to answer the questions by darkening () with Ball Point Pen only in the circle bearing the correct answer.
- 6 Candidate should not attempt more than one answer in each question. More than one attempt in any form against a question shall be treated as incorrect.
- Marking of answer other than darkening shall be cancelled and darkening should remain within the circle or otherwise computer shall not accept during evaluation of answer-script.
- Rough work must not be done on the Answer Sheet. Use the blank space given in the Test Booklet for rough work.
- Candidate is to hand over the Answer Sheet to the Invigilator before leaving the Examination Hall.
- 10. NEGATIVE MARKING: Each question carries 4 (four) marks for correct response. For each incorrect response, 1 (one) mark will be deducted from the total score. More than one answer indicated against a question will be deemed as incorrect response and will be negatively marked.

P.T.O.








MATHEMATICS

1. If ab + bc + ca = 1, then the value of


$$\frac{a+b}{1-ab} + \frac{b+c}{1-bc} + \frac{c+a}{1-ca}$$
 is

- (A) (a+b)(b+c)(c+a)
- (B) abc
- (C) $\frac{1}{abc}$
- (D) $\frac{1}{(1-ab)(1-bc)(1-ca)}$
- 2. The value of x in |x-2| = 12 is
 - (A) 14, 10
 - (B) 14, -10
 - (C) -14,-10
 - (D) -14, 10
- 3. If $x = 3 + \sqrt{8}$, then $x^3 + \frac{1}{x^3}$ equals:
 - (A) 216
 - (B) 261
 - (C) 198
 - (D) 192
- If the polynomials kx³ + 3x² 13 and 2x³ - 5x + k leave the same remainder when divided by x - 2, the value of k is
 - (A) 2
 - (B) 1
 - (C) 3
 - (D) 4

- 5. $8a^3 2a^2b 15ab^2$ on factorisation gives
 - (A) $(4a + 5b) (2a^2 3ab)$
 - (B) $(4a-5b)(2a^2-3ab)$
 - (C) $(4a-5b)(2a^2+3ab)$
 - (D) $(4a + 5b) (2a^2 + 3ab)$
- 6. In the adjoining figure, the value of x is
 - (A) 60°
 - (B) 80°
 - (C) 70°
 - (D) 90°




- 7. In a \triangle ABC, if $2 \angle A = 3 \angle B = 6 \angle C$, then $\angle A$, $\angle B$, $\angle C$ are
 - (A) 30°, 60°, 90°
 - (B) 90°, 60°, 30°
 - (C) 30°, 90°, 60°
 - (D) 90°, 30°, 60°
- 8. A, B, C and D are four concyclic points. AC and BD intersect at a point E such that ∠BEC = 130° and ∠ECD = 20°, then ∠BAC is
 - (A) 90°
 - (B) 100°
 - (C) 110°
 - (D) 120°



- The diagonal of a rectangle is inclined to one side of the rectangle at 25°. The acute angle between the diagonals is
 - (A) 25°
 - (B) 40°
 - (C) 50°
 - (D) 65°
 - If A and B be the surface area of a sphere and the curved surface area of the circumscribed cylinder, then A is equal to
 - (A) B
 - (B) 2B
 - (C) $\frac{1}{2}$ B
 - (D) $\frac{2}{3}$ B
 - The sum of rational and irrational number is always
 - (A) rational
 - (B) irrational
 - (C) both (A) and (B)
 - (D) can't say

- 12. If α , β are the roots of the quadratic equation $x^2 + ax + b = 0$, where $b \ne 0$, then the roots of the quadratic equation $bx^2 + ax + 1 = 0$ are:
 - (A) $\frac{\alpha}{\beta} \cdot \frac{\beta}{\alpha}$
 - (B) $\frac{1}{\alpha}$, $\frac{1}{\beta}$
 - (C) α^2 , β^2
 - (D) $\frac{1}{\alpha^2}$, $\frac{1}{\beta^2}$
 - 13. If the quadratic equation $(1 + m^2) x^2 + 2mex + c^2 a^2 = 0$ in x has equal roots, then
 - (A) $a^2 = c^2 (1 + m^2)$
 - (B) $c^2 = a^2 (1 + m^2)$
 - (C) $c^2 = a^2 (1 m^2)$
 - (D) $a^2 = c^2 (1 m^2)$
 - 14. A three wheeler charges Rs. 10 for first kilometer and Rs. 5 per km subsequently For a distance of x km, Rs. y are paid. The linear equation representing this information is
 - (A) 5x y + 5 = 0
 - (B) 5x y + 10 = 0
 - (C) 5x y 10 = 0
 - (D) 10x y + 5 = 0

- 15. In \triangle ABC, DE || BC and $\frac{AD}{DB} = \frac{5}{4}$. The ratio between the area of ADEF and area of ACBF is
 - (A) 5:9
 - (B) 9:5
 - 25:81



- If tangents PA and PB from an external point p to q circle with centre O are inclined to each other at 80°, then ∠POA is
 - (A) 1009
 - 50° (B)
 - (C) 100
 - (D) 120°
- 17. If $\frac{\cos \alpha}{\cos \beta} = m$ and $\frac{\cos \alpha}{\sin \beta} = n$, then value of $(m^2+n^2)\cos^2\beta$ is:
 - (A) m²
 - (B) n²
 - (C) m
 - (D) n

- A boat is being rowed away from a cliff 18. 150 m high. The angle of elevation of the boat to the cliff changes from 60° to 45° in 1 minute. If $\sqrt{3} = 1.73$, the speed of the boat is:
 - (A) 4.63 km/hr.
 - 4.31 km/hr.
 - 3.91 km/hr.
 - (D) 3.81 km/hr.
- The internal and external radii of a hollow 19. sphere are 3 cm and 5 cm respectively. It is melted to form a solid cylinder of height $2\frac{2}{3}$ cm. The radius of base of cylinder formed is
 - (A) 3.5 cm
 - 5.25 cm
 - (C) 6.14 cm
 - (D) 7 cm
- The probability of getting 53 Thursdays in a 20. leap year is

 - (C)
 - (D)

SCIENCE

21.	A student decides to show speed along the x-axis and time along the y-axis to plot speed-time graph for the motion of an object			23.	A bus driver moving with a constant speed 'v' applies brakes and the bus comes to	
	- none					after covering a distance 'd'. If the bus
	moving with a constant speed v. The graph				was moving with a constant speed 2 v at the	
	plotted by the student will be a straight line		traight line			brakes were applied, the distance
						red by the bus before coming to rest
	(A)	along the x-axis			wou	ld be
					(A)	2d
	(B)	along the y-axis				
					(B)	4d
		TANK MARKAN MARKAMANAN AND				
	(C)	parallel to the x-axis			(C)	8d
	(D)	parallel to the y-axis			(D)	16d
22.	Which of the following quantity remains constant in a uniform circular motion?			24.	Fron	n a rifle of mass 4.8 kg a bullet of mass
190015						is fired with an initial speed of 30 ms ⁻¹ .
						speed with which the gun recoils is
	(A)	Displacement			nas.	
					(A)	2.40 cms ⁻¹
	(B)	Speed			(B)	6.25 cms ⁻¹
	(C)	Velocity		Į.	(C)	12.50 cms ⁻¹
	(D)	Acceleration			(D)	25.00 cms ⁻¹
1501	/Mat	hematics & Science	8	5		Contd.

25. A ball of mass 'm' moving with a velocity 'v' along a horizontal direction strikes a vertical wall and bounces off along the same horizontal line. If the velocity of the ball after striking the wall be $\frac{1}{2}$ v, the change in the momentum of the ball and its kinetic energy will respectively be

(A)
$$\frac{3}{2}$$
 my and $\frac{1}{2}$ my²

(B)
$$\frac{3}{2}$$
 mv and $\frac{3}{4}$ mv²

(C)
$$\frac{1}{2}$$
 mv and $\frac{1}{2}$ mv²

(D)
$$\frac{1}{2}$$
 my and $\frac{1}{4}$ my²

26. The mass and radius of a planet P are two times that of the earth. If the acceleration due to gravitation on the planet be g_p and that on the earth be g_e, then

(A)
$$g_p = 4 g_e$$

(B)
$$g_p = 2g_e$$

(C)
$$g_p = \frac{1}{2} g_e$$

(D)
$$g_p = \frac{1}{4} g_e$$

27. A swimmer dives horizontally from a diving board with a horizontal velocity of 9 kmh⁻¹. The swimmer touches the water surface at a distance of 2.5 m from the point of diving. If the acceleration due to gravity at the place of diving is 10 ms⁻², the height of the diving board above the water surface is


28. A food packet is dropped from a helicopter held stationary at 500 m above the ground level. The ratio of the distance through which the food packet would fall in first 6 seconds to that it had fallen in the first 3 seconds will be

- A cuboid of mass 500 gram and volume 250 cm³ when immersed in water of density 1 g/cm³, sinks to the bottom. The force of Buoyancy experienced by the cuboid is:
 - (A) 100 gwt
 - (B) 150 gwt
 - 200 gwt
 - 250 gwt
- A sound wave of frequency 500 Hz is moving with a speed of 300 m/s. The horizontal distance between a crest and its adjacent through of this wave will be
 - (A) 30 cm
 - 60 cm
 - (C) nearly 83 cm
 - (D) nearly 167 cm
- Two plane mirrors PQ and RS are held such 31. that the angle between them is 90°. A ray of light AB is incident on the mirror PQ as shown. If the angle of incidence for the ray AB be 35°, the angle θ will be










In the ray diagram a ray of light AB is shown 32. incident on a convex mirror. If C and F are the centre of curvature and principal focus of

the mirror respectively, the reflected ray corresponding to the ray AB will be along

- BA (A)
- BO
- BD (C)
- BE (D)
- If the refractive indices of three media, A, B 33. and C are n_A , n_B and n_C respectively such that $n_A > n_B > n_C$ and the velocities of light in these media are C_A , C_B and C_C respectively and C is the velocity of light in air/vacuum, then which of the following will be the correct option?
 - (A) $C_A > C_B > C_C > C$
 - (B) $C > C_C > C_B > C_A$
 - (C) $C_A < C_B < C_C > C$ (D) $\frac{C}{C_A} < \frac{C}{C_B} < \frac{C}{C_C}$
- A bright object AB lies between F, and 2F, of a convex lens. If the image of AB falls at the centre of curvature of a concave mirror, then, as compared to AB, the final image will be:
 - erect and diminished (A)
 - erect and magnified (B)
 - inverted and diminished (C)
 - inverted and magnified

- The formation of rainbow in the sky is due to a combined affect of the phenomena of
 - (A) reflection, refraction and diffusion
 - (B) refraction, internal refraction and scattering
 - (C) refraction, dispersion and internal reflection
 - (D) refraction, dispersion and scattering
- 36. A wire of length 5 m has a resistance of 10 ohms. It is stretched to double the length, the resistance of the stretched wire is:
 - (A) 10 ohms
 - (B) 20 ohms
 - (C) 30 ohms
 - (D) 40 ohms
- 37. Consider the following circuit:




If the key is plugged in, the reading of the ammeter and the voltmeter would respectively be

- (A) 1.0 A and 2.0 V
- (B) 1.0 A and 0.5 V
- (C) 0.5 A and 1.0 V
- (D) 0.5 A and 6.0 V

- 38. Consider the shape of field lines of the following:
 - I. Single positive charge
 - II. Current carrying straight conductor
 - III. Current carrying solenoid
 - IV. A bar magnet

Which of the above have field lines of the shape of a closed loop?

- (A) I, II and III
- (B) II. III and IV
- (C) only III and IV
- (D) only I and II
- A straight conductor AB is connected to a cell through a key as shown in the given circuit diagram.



If the key K is plugged in, the direction of current in the circuit will be along

- (A) AB while the direction of magnetic field associated with it will be anticlockwise
- (B) AB while the direction of magnetic field associated with it will be clockwise
- (C) BA while the direction of magnetic field associated with it will be anticlockwise
- (D) BA while the direction of magnetic field associated with it will be clockwise

40.	east is deflected to the north direction by a magnetic field. Direction of the magnetic field is:		d, e and f are 3, 4, 5, 7, 10 and 13 respectively. The elements having same valency are:	
	(A) coming out of the plane of the paper		(A) a, b and c	
	(B) going into the plane of the paper		(B) c, d and e	
	(C) pointing southwards		(C) c, d and f	
	(D) pointing westwards		(D) b, c and d	
41.	A car mechanic noticed small metallic pieces		Which of the following will not show	
	in the engine oil of a car. Which of the		Tyndall effect?	
	following techniques he will use for cleaning the engine oil?		(A) Soap Solution	
	(A) Magnetic separation		(B) Sugar Solution	
	(B) Filtration		(C) Starch Solution	
	(C) Centrifugation			
	(D) Evaporation		(D) Gold Sol	
42.	Consider the following substances:	45.	The least volatile fraction of air is	
	I. iodine II. ammonium hydroxide III. dry ice IV. ammonium chloride		(A) Carbon dioxide	
	The phenomenon of sublimation would be			
	observed in		(B) Oxygen	
	(A) I and II only			
	(B) III and IV only		(C) Argon	
	(C) I, III and IV	125		
	(D) I, II and IV		(D) Nitrogen	

10

1501/Mathematics & Science

Contd.

- 46. Atomic mass of oxygen is 16u and the Avogadro number is 6.022 × 10²³. The mass of 12.044 × 10²³ molecules of oxygen would be –
 - (A) 8 grams
 - (B) 16 grams
 - (C) 32 grams
 - (D) 64 grams
- Rutherford's α-particle scattering experiment showed that
 - electrons have negative charge
 - the mass and positive charge of the atom is concentrated in the nucleus
 - III. neutrons exist in the nucleus
 - IV. most of the space in the atom is empty
 The correct statements are
 - (A) I, II and III
 - (B) II, III and IV
 - (C) II and IV only
 - (D) III and IV only
- 48. The species represented by \$\frac{18}{8}O^2\$-contains
 - (A) 8 protons, 10 neutrons and 6 electrons
 - (B) 8 protons, 10 neutrons and 8 electrons
 - (C) 8 neutrons, 18 protons and 10 electrons
 - (D) 10 neutrons, 8 protons and 10 electrons

- 49. The atom of an element has 6 electrons in its L-shell. From this information, it can be inferred that the element –
 - (A) has 6 protons in its nuclei and that it is carbon
 - (B) can acquire two electrons to form its ion and that its valency is two
 - (C) is a metal and will form a positive ion
 - is a metal and will form only covalent bond
- 50. The canal rays
 - (A) Which consist of positively charged particles were discovered by E. Goldstein in 1886
 - (B) Which consist of negatively charged electrons were discovered by J. J. Thomson
 - (C) Were used by E. Rutherford in his experiment to bombard the atoms
 - (D) led Niels Bohr to formulate his ideas about the structure of atom
- 51. The reaction between calcium oxide and water is an example of a
 - (A) combination reaction which is exothermic
 - (B) combination reaction which is endothermic
 - displacement reaction which is exothermic
 - (D) redox reaction which is endothermic

- 52. The pH of a sample of milk is 6. The pH of the curds formed with this sample of milk is likely to be between
 - (A) 7 and 8
 - (B) 6 and 7
 - (C) 5 and 6
 - (D) 3 and 4
- 53. Based on the reactions given below, select from the following the correct decreasing order of the reactivity of the metals involved in the reactants:

(i)
$$Zn_{(s)} + CuSO_{4(aq)} \rightarrow$$

 $ZnSO_{4(aq)} + Cu_{(s)}$

(ii)
$$Cu_{(s)} + 2AgNO_{3(aq)} \rightarrow$$

 $Cu(NO_3)_{2(aq)} + 2Ag_{(s)}$

(iii)
$$Zn_{(s)} + FeSO_{4(aq)} \rightarrow$$

 $ZnSO_{4(aq)} + Fe_{(s)}$

(iv)
$$Fe_{(s)} + CuSO_{4(aq)} \rightarrow$$

 $FeSO_{4(aq)} + Cu_{(s)}$

- (A) Zn>Ag>Fe>Cu
- (B) Zn > Fe > Cu > Ag
- (C) Ag>Cu>Zn>Fe
- (D) Fe>Zn>Cu>Ag
- 54. The sequence of steps involved in the extraction of a certain metal is as shown below:

Ore \rightarrow roasting \rightarrow metal \rightarrow refining

The ore may consist of

- sulphide or a carbonate of a metal of medium reactivity
- (B) sulphide of a metal of low reactivity
- (C) sulphide of a metal of high reactivity
- (D) carbonate of a metal of low reactivity

- 55. An alkyne has six carbon atoms in its one molecule. The number of hydrogen atoms in this molecule will be:
 - (A) 6
 - (B) 8
 - (C) 10
 - (D) 12
- 56. In which of the following pairs both compounds are unsaturated?
 - (A) C2H6 and C4H6
 - (B) C₆H₁₂ and C₅H₁₂
 - (C) C₄H₆ and C₆H₁₂
 - (D) C2H6 and C4H10
- 57. Which of the following correctly shows the structural formula of propanoic acid?

- 58. The ion of an element 'x' has 36 electrons distributed in different shells. Which of the following options correctly mentions the number of shells in an atom of element 'x' and its placement in the Modern Periodic Table?
 - (A) No. of shells 3, Placement in Modern Periodic Table – 3rd Period and 17th Group
 - (B) No. of shells 3, Placement in Modern Periodic Table – 3rd Period and 18th Group
 - (C) No. of shells 4, Placement in Modern Periodic Table – 4th Period and 17th Group
 - (D) No. of shells –4, Placement in Modern Periodic Table – 4th Period and 18th Group
- 59. Five elements a, b, c, d and e have atomic numbers, 9, 11, 17, 12 and 13 respectively. The elements which belong to the same group of Modern Periodic Table of elements are:
 - (A) a and c
 - (B) b and d
 - (C) a and b
 - (D) d and e
- 60. The atomic number of the elements, Na, Mg, K and Ca are, 11, 12, 19 and 20 respectively. The element having the largest atomic radius is:
 - (A) K
 - (B) Na
 - (C) Ca
 - (D) Mg

- 61. The rough endoplasmic reticulum in a cell are the sites for the manufacture of
 - (A) Lipid
 - (B) Adenosine Triphosphate
 - (C) Enzymes
 - (D) Starch
- 62. Which of the following organelle is not present in the animal cell?
 - (A) Lysosome
 - (B) Vacuole
 - (C) Endoplasmic reticulum
 - (D) Plastid
- The roots of plants absorb water from the soil by the process of
 - (A) osmosis when the medium surrounding root cells is hypertonic
 - (B) diffusion when the medium surrounding root cells is isotonic
 - (C) osmosis when the medium surrounding root cells is isotonic
 - (D) osmosis when the medium surrounding root cells is hypotonic

- 64. Which of the following is a connective tissue that helps in the repair of tissues and fills up the space inside the organ?
 - (A) Areolar
 - (B) Adipose tissue
 - (C) Cartilage
 - (D) Tendon
- 65. A nail is inserted in the trunk of a tree a height of 150 cm from the ground level. After 3 years the nail will
 - (A) move sideways
 - (B) move upwards
 - (C) move downwards
 - (D) remains at the same position
- Evergreen trees with needles and cones, grown for Chirstmas every year, belong to the class of plants known as
 - (A) bryophyta
 - (B) gymnosperms
 - (C) pteridophyta
 - (D) angiosperms
- Read the following statements to identify the correct ones:
 - Stomatal pores open when guard cells shrink
 - (ii) Villi in large intestines absorb water from undigested food
 - (iii) Haemoglobin has a very high affinity for oxygen
 - (iv) Lymph helps in clotting of blood in case of injury
 - (v) The oxygen produced during the process of photosynthesis is released by plants through the process of transpiration

The correct statements are:

- (A) (ii) and (iii) only
- (B) (iv) and (v) only
- (C) (iii), (iv) and (v)
- (D) (i), (ii) and (v)

- 68. Which structure (part) in human-female is equivalent to vas deferens in human male?
 - (A) Oviduct (fallopian tube)
 - (B) Ovary
 - (C) Uterus
 - (D) Cervix
- 69. Which of the following organism would form a zygote in the process of producing its offspring?
 - (A) Papaya
 - (B) Rhizopus
 - (C) Bryophyllum
 - (D) Potato
- 70. Fore-limbs of frogs, lizards, pigeons and whales have different shapes and functions. Frogs use fore-limbs for leaping, lizards for creeping, pigeons for flying while whales use them for swimming. However, skeletal parts of their fore-limbs are similar in structure and arrangement. From the given information it can be inferred that the fore-limbs of the four organisms are:
 - (A) homologous and therefore they have common ancestors
 - (B) analogous and therefore they have common ancestors
 - homologous because they have not inherited them from same ancestors
 - (D) analogous because they do not have common ancestors

- 71. Peptic ulcers are caused by
 - (A) helicobactor pylori which is a type of bacteria
 - (B) helicobactor pylori which is a type of virus
 - (C) staphylococci which is a type of bacteria
 - (D) Leishmania which is a type of bacteria
- 72. Which one of the following processes is not a part of the nitrogen cycle in nature?
 - (A) Denitrification
 - (B) Ammonification
 - (C) Calcification
 - (D) Nitrogen fixation
- In a box type solar cooker, the heat trapped inside the box mainly comes from the
 - (A) visible spectrum of sunlight
 - (B) infrared radiation present in sunlight
 - (C) ultra-violet radiation present in sunlight
 - (D) red light present in spectrum of sunlight

- 74. In which set of organisms, all the four belong to tertiary level consumers?
 - (A) Butterfly, Snake, Spider, Elephant
 - (B) Owl, Crocodile, Polar bear, Eagle
 - (C) Lion, Spider, Peacock, Zebra
 - (D) Python, Fish, Elephant, Whale
- 75. Which one of the following combinations of energy sources does not contain a fossil fuel?
 - (A) wind, ocean, coal
 - (B) kerosene, wind, tide
 - (C) wood, sun, wind
 - (D) petrol, wood, sun