Previous Year Question Paper of LPUNEST (B.Tech)

Question paper contains five subjects i.e. Physics (30 Questions), Maths (30 Questions), Chemistry (30 Questions), Biology (30 Questions) and English (30 Questions). English, Physics & Chemistry are mandatory subjects and student has to opt one subject out of Mathematics and Biology.

Section – ENGLISH

This section contains **30 Multiple Choice Questions**. Each question has four choices (a), (b), (c) and (d) out of which **ONLY ONE** is correct.

	nswer choice that nts tried living in b) but		they could		ne cold.
	missing pronoun en are coming ou b) her		a minute. I d) they	need to go and	d pick up.
She is a a) Beautifu	correct order of a supermoul slim Brazilian azilian beautiful	odel. b) B	razilian bea	autiful slim m beautiful	
		their babies." b) A		ime/Frequency Jegree	,
	right option to fil	• 1	, anartmant		
a) Will be s c) Be sleep	1 0	b) W	Von't be sle	eeping	Won't be sleeping
Nahala) will com	right option to fil his PhD o hpleting e completed	n trauma studi b) w	ill have be	ember this year en completing en completed	:
Jean Martina) Will wo	right option to fil n Charcot rk nave worked	for us b) S	hall work	ork and Shall v	work
b) I think h c) I think h	correct one. ne would not come might not come shall not come might not came	e with us to the with us to the	ne meeting e meeting		


9. (Choose the correct use a) I will make dinner b) I will be making di c) Both I will make di d) None of these	tonight nner tonight		ing dinner toni	ght	
10.	The sentence below co I am finding it difficu a) I did found it diffic c) And my pair of gre	lt to choose an	•	red trousers an	d my pair of green on	•
11.	next four years.(3)/ N	oate (1)/, the fa	culty has appro		e to increase (2)/ class	s size by 15% over the
	a) 1 b) 2		c) 3	d) 4		
12.	Pick the right meaning To die in harness a) Die early		ving phrase. In the state of t			
	c) To die while in dut	y	d) Die peaceful	ly		
13.	Identify the correct me That ship has sailed. a) Work better or leave. b) Work quickly	-	diom. b) It's too late d) Go through:	something diffi	cult	
14.	Choose one word for the A mild or indirect exp	pression substit				
	a) Wriggle b) Sacrilege	c) Eupl	nemism	d) Linguist	
15.	In the following quest Choose the pair that be earth is to ball as pane	est expresses a		-	• •	words or phrases.
	•) flag	c) disc		d) flat	
16.	Choose the correct for I think I a r a) needs b			ot function pro		
17.	Choose the correct for At a school dance: Mohul: " yourse Zoya: "Yes, I'm havin a) You enjoying b	elf?" g a fun time!"			-	
18.	Choose the correct for During the two years a) has has b			nt jobs.	neaningful sentence. d) have has	
19.	Fill in the blank with o	correct word.				

	They went to the sh	nopping center _	sho	ops were closed.	
	a) because b) or	c) but	d) so		
20.	Choose the most su	itable interjectio	-	ne sentence.	
	a) Oops!	•	c) Phew!	d) Ah!	
21.	Fill in the blank wit	th correct word.			
	Nisha is pleased	her i	result.		
	a) about			d) all of these	
22.	Fill in the right verb	o form.			
	The horse was	by the yo	oung boy.		
	a) ride	b) rode	c) ridden	d) riding	
23.	Change the voice o	_	ence.		
	They speak French				
	a) French is spokerc) French has spoker	at this shop en at this shop	b) Fre d) French were	nch was spoken a e spoken at this s	nt this shop hop
24.	Which of these wor	ds is most nearly	y the opposite of	f the word provid	ed?
	a) group	b) peak c) selec	et d) mai	rry	
25.	Which of these wor	ds is closest in n	neaning to the w	vord provided?	
	Banish				
	a) exile	b) hate	c) fade	d) clean	
26.	Choose the right op	_	•		
	Mrs Adams was				3.
	a) has	b) had	c) have d) hav	ring	
27.	Choose the right op	_	-		
	It was a very diffic				e book.
	a) Had understood,c) Had read, understood		b) Read, had ud) Understood		
28.	Choose the right op	otion to fill the ga	ap.		
	The film wasn't ver	_	•	y much.	
	a) enjoyed				ı't enjoy
29.	Select the answer c	hoice that identif	fies the noun in	the sentence.	
	Susan was exceeding				
	a) exceedingly	b) home	c) pro	ud	d) beautiful
30.	Choose the right op	_	•	41a a va	oioot?
	By the time the bos a) Jane and Luke d		actory, WIII	the new pr	ojeci?
	b) Jane and Luke b				
	c) Jane and Luke be	e discussing			
	d) Both Jane and L	uke discuss & Ja	ne and Luke be	discussing	

Section – PHYSICS

This section contains 30 Multiple Choice Questions. Each question has four choices (a), (b), (c) and (d) out of which **ONLY ONE** is correct.

31. A lift is moving in upward direction. The total mass of the lift and the passengers is 1600kg. The variation of the velocity of the lift is as shown in the figure. The tension in the rope at $t=8^{th}$ second will be



- a) 11200N
- b) 16000N
- c) 4800N
- b) 12000N

32. A mass m moves with a velocity ν and collides in elastically with another identical mass. After collision, the first mass moves with velocity $\frac{v}{\sqrt{3}}$ in a direction perpendicular to the initial direction of motion. Find the speed of 2nd mass after collision.

- b) $\frac{v}{\sqrt{3}}$
- c) v d) $\sqrt{3}v$

33. In a system of particles 8kg mass is subjected to a force of 16N along positive y axis and another 8kg mass is subjected to a force of 8N along positive x axis. The angle made by the acceleration of centre of mass with x axis is

a)
$$\theta = 45^{\circ}$$

b)
$$\theta = \tan^{-1} \left(\frac{2}{3} \right)$$
 c) $\theta = \tan^{-1} \left(2 \right)$ d) $\theta = \tan^{-1} \left(\sqrt{3} \right)$

c)
$$\theta = \tan^{-1}(2)$$

d)
$$\theta = \tan^{-1}\left(\sqrt{3}\right)$$

34. Four spheres of diameter 2a and mass M are placed with their centers on the four corners of a square of side 'b'. Then the moment of inertia of the system about an axis along one of the sides of the square is

a)
$$\frac{4}{5}Ma^2 + 2Mb^2$$

b)
$$\frac{8}{5}Ma^2 + 2Mb^2$$

c)
$$\frac{8}{5} Ma^2$$


a)
$$\frac{4}{5}Ma^2 + 2Mb^2$$
 b) $\frac{8}{5}Ma^2 + 2Mb^2$ c) $\frac{8}{5}Ma^2$ d) $\frac{4}{5}Ma^2 + 4Mb^2$


35. The time dependence of a physical quantity P is given by $P = P_o e^{-\alpha t^2}$, where α is a constant and t is a time then constant α is

- a) dimension less
- b) dimension of t⁻²
- c) dimensions of P d) dimension of t²


36. Acceleration verses velocity graph of a particle moving in a straight line as shown in graph. The corresponding velocity-time graph would be.















- 37. A man wishes to cross the river flowing with velocity u swims at angle θ with river flow if the man swims with speed v and if the width of the river is d then drift travelled by him.
- a) $\left[u + v\cos\theta\right] \frac{d}{v\sin\theta}$

b) $\left[u - v\cos\theta\right] \frac{d}{v\sin\theta}$

c) $\left[u - v\cos\theta\right] \frac{d}{v\cos\theta}$


- d) $\left[u + v\cos\theta\right] \frac{d}{v\cos\theta}$
- **38.** If the gravitational acceleration at surface of Earth is g, then increase in potential energy in lifting an object of mass m to a height equal to half of radius of earth from surface will be :-
- a) $\frac{\text{mgR}}{2}$

- b) $\frac{2mgR}{3}$
- c) $\frac{\text{mgR}}{4}$
- d) $\frac{\text{mgR}}{3}$
- **39.** In the arrangement, spring constant k has value $2Nm^{-1}$, mass M = 3 kg and mass m = 1 kg. Mass M is in contact with a smooth surface. The coefficient of friction between two blocks is 0.1 and amplitude of oscillation is 10 cm. The time period of SHM executed by the system is



- a) $\pi\sqrt{6}$
- b) $\pi\sqrt{2}$

- c) $2\sqrt{2}\pi$
- d) 2π
- **40.** A wire of variable mass per unit length is $\mu = \mu_0 x$, hanging from the ceiling as shown in figure. The length of wire is l_0 . A small transverse disturbance is produced at its lower end. Find the time after which the disturbance will reach to the other ends.



a) $\sqrt{\frac{6l_0}{g}}$

b) $\sqrt{\frac{8l_0}{g}}$

c) $\sqrt{\frac{9l_0}{g}}$

d) $\sqrt{\frac{10l_0}{g}}$

41. A cubical ball is taken to a depth of 200m in a sea. The decrease in volume observed to be 0.1%. The bulk modulus of the ball is

 $(g = 10 \text{ ms}^{-2})$

a) $2 \times 10^7 \text{ Pa}$

b) $2 \times 10^6 \, \text{Pa}$ c) $2 \times 10^9 \, \text{Pa}$

d) 1.2×10^9 Pa

42. The temperature of a body falls from 62°C to 50°C in 10 minutes. If the temperature of the surroundings is 26°C, the temperature in next 10 minutes will become


a) 42°C

b) 40°C

c) 56°C

d) 55°C

43. In the indicator diagram fig. shown of Carnot cycle T_a, T_b, T_c, T_d represent temperature of gas at A, B, C, D respectively. Which of the following is correct relation



a) $T_a = T_b = T_c = T_d$

b) $T_a = T_c$, $T_b = T_d$

c) $T_a = T_d$, $T_c = T_b$

d) $T_a = T_b$, $T_c = T_d$

44. Modern vacuum pumps can evacuate a vessel down to a pressure of 4.0×10^{-15} atm. At room temperature (300K) taking R = 8.3 JK⁻¹ mole⁻¹ and N_{avagardro} = 6×10^{23} mole⁻¹, the mean distance between molecules of gas in an evacuated vessel will be of the order of :

- a) 0.2µm
- b) 0.2mm
- c) 0.2cm

d) 0.2nm


45. Three concentric conducting spherical shells carry charges +4Q on the inner shell -2Q on the middle shell and +6Q on the outer shell. The charge on the inner surface of the outer shell is

- a) 0
- b) 4Q


c) -O

d) -2Q


46. Find equivalent capacitance between points A and B. [Assume each conducting plate is having same dimensions and neglect the thickness of the plate, $\frac{\mathcal{E}_0 A}{d} = 7 \mu F$, where A is area of plates]




- a) $7\mu F$
- b) $11 \mu F$
- c) $12\mu F$
- d) $15\mu F$
- **47.** When an electric heater is switched on, the current flowing through it (i) is plotted against time (t). Taking into account the variation of resistance with temperature, which of the following best represents the resulting curve



a)





- **48.** A wire of mass 100g is carrying a current of 2A towards increasing x in the form of $y = x^2(-2m \le x \le +2m)$. This wire is placed in a magnetic field $\vec{B} = -0.02\hat{k}$ tesla. The acceleration of the wire (in m/s^2) is
- a) $-1.6 \hat{i}$
- b) $-3.2 \hat{i}$
- c) $1.6\,\hat{i}$
- d) zero
- 49. The real angle of dip at a place, if a magnet is suspended at an angle of 30° to the magnetic meridian and the dip needle makes an angle of 45° with horizontal is
- a) $\operatorname{Tan}^{-1}\left(\frac{\sqrt{3}}{2}\right)$ b) $\operatorname{Tan}^{-1}\left(\sqrt{3}\right)$ c) $\operatorname{Tan}^{-1}\left(\sqrt{\frac{3}{2}}\right)$ d) $\operatorname{Tan}^{-1}\left(\frac{2}{\sqrt{3}}\right)$

- **50.** In a hypothetical Bohr's hydrogen atom the mass of the electrons is doubled. The energy E_0 and radius r_0 of the first orbit will be (a_0 is the Bohr radius for the first orbit):
- a) $E_0 = -27.2 eV, r_0 = a_0$


b) $E_0 = -13.6 eV$, $r_0 = a_0 / 2$

c) $E_0 = -27.3 eV$, $r_0 = a_0 / 2$

- d) $E_0 = -13.6 eV$, $r_0 = a_0$
- **51.** A radioactive isotope is being produced at a constant rate X. Half-life of the radioactive substance is Y. After some time the number of radioactive nuclei become constant. The value of this constant is:

- b) *XY*
- c) $(XY) \ln (2)$
- d) $\frac{X}{V}$
- **52.** Two identical particles move at right angles to each other, possessing debroglie wavelength λ_1 and λ_2 . The Debroglie wavelength of each of the particles in their centre of mass frame will be

53. A point object is placed at a distance of 20 cm from a thin plano-convex lens of focal length 15 cm (μ =1.5). The curved surface is silvered. The image will form at




a) 60 cm left of AB


b) 30 cm left of AB

c) 20/7 cm left on AB

- d) 60 cm right of AB
- 54. In Young's double slit experiment, the two slits acts as coherent sources of equal amplitude A and wavelength λ . In another experiment with the same set up the two slits are sources of equal amplitude A and wavelength λ but are incoherent. The ratio of the intensity of light at the mid-point of the screen in the first case to that in the second case is
- a) 4:1
- b) 1:1
- c) 2:1
- d) 1:4
- 55. The voltage time graph of a triangular wave having peak value V_0 is as shown in figure. The rms value of V in time interval from t=0 to $\frac{I}{A}$ is




- **56.** A potential difference of 2V is applied between the opposite faces of a Ge crystal plate of area $1 cm^2$ and thickness 0.5 mm. If the concentration of electrons in Ge is $2 \times 10^{19}/m^3$ and mobilities of electrons and holes are $0.36 \frac{m^2}{volt-sec}$ and $0.14 \frac{m^2}{volt-sec}$ respectively, then the current flowing through the plate will be
- a) 0.25 A
- b) 0.45 A
- c) 0.56 A
- d) 0.64 A
- **57.** The diagram of a logic circuit is given below. The output F of the circuit is represented by



- a) W.(X+Y)
- b) $W \cdot (X \cdot Y)$

- d) W+(X+Y)
- 58. A block A of mass 100 kg rests on another block B of mass 200 kg and is tied to a wall as shown in the figure. The coefficient of friction between A and B is 0.2 and that between B and the ground is 0.3. The minimum force F required to move the block B is $(g = 10 \text{ m/s}^2)$



- a) 900 N
- b) 200 N
- c) 1100 N
- d) 700 N
- **59.** A fully charged capacitor C with initial charge q_0 is connected to a coil of self-inductance L at t = 0. The time at which the energy is stored equally in the form of electric filed in capacitor and the magnetic field in the inductor
- a) $\pi\sqrt{LC}$
- b) $\frac{\pi}{4}\sqrt{LC}$ c) $2\pi\sqrt{LC}$ d) \sqrt{LC}
- 60. A signal of frequency 20 kHz and peak voltage of 5 Volt as used to modulate a carrier wave of frequency 1.2 MHz and peak voltage 25 Volts. Choose the correct statement.
- a) Modulation index=5, side frequency bands are at 1400 kHz and 1000 kHz
- b) Modulation index=5, side frequency bands are at 21.2 kHz and 18.8 kHz
- c) Modulation index=0.8, side frequency bands are at 1180 kHz and 1200 kHz
- d) Modulation index=0.2, side frequency bands are at 1220 kHz and 1180 kHz

Section- MATEHMATICS

This section contains 30 Multiple Choice Questions. Each question has four choices (a), (b), (c) and (d) out of which **ONLY ONE** is correct.

- **61.** A survey of 500 television viewers produced the following information, 285 watch foot ball, 195 watch hockey, 115 watch basket ball, 45 watch foot ball and basket ball, 70 watch foot ball and hockey, 50 watch hockey and basket ball, 50 do not watch any of the three games. The number of viewers, who watch exactly one of the three games is
 - a) 325
- b) 310

- c) 315
- d) 372
- **62.** The minimum number of elements that must be added to the relation $R = \{(1,2),(2,3)\}$ on the set $\{1,2,3\}$ so that it is an equivalence relation
 - a) 3

b) 5

c) 6

d) 7

	63.	$f: R - \{0\} \to R$	given by	$f(x) = \frac{1}{x}$	$\frac{2}{e^{2x}-1}$	can be made continuous at	x = 0 by	y defining	f(0) as
--	-----	----------------------	----------	----------------------	----------------------	---------------------------	----------	------------	---------

a) 1

b) 2

c) -1

d) 0

64. If z represent a point on the circle |z| = 2 then the locus of the point $z + \frac{1}{z}$ is

a) parabola

- b) circle
- d) hyperbola

65. The quadratic equation $8\sec^2 x - 6\sec x + 1 = 0$ has

- a) No real root
- b) Two real roots
- c) Many roots
- d) Only one real root

66. If 8 G.M.'s are inserted between 2 and 3 then the product of the 8 G.M.'s is

a) 6

b) 36

- c) 216
- d) 1296

67. If x,y,z are in A.P with common difference 'd' and the rank of the matrix $\begin{bmatrix} 4 & 5 & x \\ 5 & 6 & y \\ 6 & k & z \end{bmatrix}$ is 2 then the values

of k, d are

- a) $6, \frac{x}{2}$

- b) 5, x c) any arbitrary, x d) 7, any arbitrary


68. If $\Delta = \begin{vmatrix} f(x) & f\left(\frac{1}{x}\right) + f(x) \\ 1 & f\left(\frac{1}{x}\right) \end{vmatrix} = 0$ where f(x) is a polynomial and f(2) = 17 then f(5) = --c) 82 d) 79

69. The distance between the line $r = 2i - 2j + 3k + \lambda(i - j + 4k)$ and the plane $r \cdot (i + 5j + k) = 5$ is

- b) $\frac{10}{2\sqrt{3}}$

- c) $\frac{10}{3\sqrt{3}}$ d) $\frac{10}{2}$

70. The symbolic form of logic of the circuit given below is



a) $\lceil (p \land q') \lor p' \rceil \land q$

b) $\lceil p \lor (q' \land p') \rceil \lor q$

b) c) $\lceil (p \wedge p') \vee q' \rceil \wedge q$

 $d\lceil p \land (q' \lor p') \rceil \lor q$

71. The number of 4 digited even numbers whose sum is 34

72. The number of ordered triplets of +ve integers which satisfied the inequalities $20 \le x + y + z \le 50$ is

- a) ${}^{50}C_{3}$
- b) $^{19}C_{2}$

- c) ${}^{50}C_2 {}^{19}C_2$
- d) $^{69}C_{2}$

73. If $\sum_{r=1}^{n} a_r = \frac{n(n+1)(n+2)}{6} \forall n \ge 1$, then $\sum_{r=1}^{n} \frac{1}{a_r} = \frac{1}{n+1} = \frac{1}{$

- a) 1
- b) $\frac{3}{2}$

c) 2

d) 3

74. Value of $\sum_{k=1}^{\infty} \sum_{k=1}^{k} \frac{1}{3^k} (kC_r)$

a) 1

b) 0

d) 2

75. If $y = (1-x)(1+x^2)(1+x^4)...(1+x^{2n})$, then $\frac{dy}{dx}$ at x = 0 is equal to

- a) -1
- b) $\frac{1}{(1+r)^2}$

- c) $\frac{x}{(1+x^2)}$ d) $\frac{x}{(1-x)^2}$

76. Consider p(x) to be a polynomial of degree 5 having extremum at x = -1, 1 and $\lim_{x \to 0} \left(\frac{P(x)}{x^3} - 2 \right) = 4$. Then the

- value of [P(1)] is (where [.] represents greatest integer function)
- a) 1

b) 2

c) 3

d) 4

77. $\int \frac{\sin^2 x \cdot \cos^2 x}{\left(\sin^5 x + \cos^3 x \cdot \sin^2 x + \sin^3 x \cdot \cos^2 x + \cos^5 x\right)^2} dx =$

- a) $\frac{1}{3(1+\tan^3 x)} + c$ b) $\frac{1}{3(1+\tan^3 x)} + c$ c) $\frac{1}{1+\cot^3 x} + c$ d) $\frac{-1}{1+\cot^3 x} + c$

78. $\int (\sin 101x) \sin^{99} x \, dx = \frac{\sin(100x) \sin^{100} x}{k+5} + c$ then $\frac{k}{19} =$

d) 5

79. If $g(x) = \cos x^2$, $f(x) = \sqrt{x}$ and α , $\beta(\alpha < \beta)$ are the roots of $18x^2 - 9\pi x + \pi^2 = 0$ then the area bounded by the curve y = (gof)(x) and the lines $x = \alpha$, $x = \beta$ and y = 0 is

- b) $\frac{\sqrt{3}+1}{2}$ c) $\frac{\sqrt{3}-1}{2}$ d) $\frac{1}{2}$

80. If y = f(x) passing through (1,2) satisfies the differential equation y(1+xy)dx - xdy = 0 then

	$f(x) = \frac{2x}{2 - x^2}$	b) $f(x) = \frac{x+1}{x^2+1}$	c) $f(x) = \frac{x-1}{4-x^2}$	d) $f(x) = \frac{4x}{1 - 2x^2}$
81.		(7, 0) and y-axis at B(0, BP intersect in R, then l		s drawn perpendicular to AB cutting x, y-
	a) $x^2 + y^2 + 7x - 5y$	y = 0	b) $x^2 + y^2 - 7$	x + 5y = 0
	c) $x^2 + y^2 - 3x + 4y =$	= 0	d) $x^2 + y^2 + 6$	•
82			ets the parallel lines of the segment PQ in the	4x+2y=9 and 2x+y+6=0 at points International
	a) 1:2	b) 3:4	c) 2:1	d) 4:3
83.	The number of integree whose radius cannot a) 14		ch $x^2 + y^2 + \lambda x + (1 - \lambda)$ c) 16	y+5=0 is the equation of a circle d) 18
84.		s of c such that the stra	ight line $y = 4x + c$ to	iches the curve
	$x^2/4 + y^2 = 1$ is a) 0	b) 1	c) 2	d) infinite
85.	The plane $x - 2y + 3z$ a) 3:5	z = 17 divides the line b) 3:10		4, 7) and (3, -5, 8) in the ratio d) none of these
86.	The ratio of the distartion $5x + 2y - 7z + 9 = 0$, -1, 3) and $(3, 3, 3)$ to	
07	a) 2:1	b) 1:3		d) 3:2
8/.	a) 20.0	b) 10.1	c) 20.2	eir mean is 255, then the d is equal to d) 10.0
88.	If n integers taken at is 1, 3, 7 or 9 is	random are multiplied	together, then the prob	ability that the last digit of the product
	a) $\frac{2^{n}}{5^{n}}$	b) $\frac{8^n - 2^n}{5^n}$	c) $\frac{4^n - 2^n}{5^n}$	d) None of these
89.	If $\tan \beta = 2\sin \alpha \cdot \sin \gamma$.	$\csc(\alpha + \gamma)$, then $\cot \alpha$	α , $\cot \beta$, $\cot \gamma$ are in	

d) none of these

a) A.P. b) G.P. c) H.P. d) no **90.** If $\cos^{-1} \alpha + \cos^{-1} \beta + \cos^{-1} \gamma = 3\pi$ then the value of $\alpha\beta + \beta\gamma + \gamma\alpha =$ a) 1 b) 2 c) 0 d) 3

Section- CHEMISTRY

This section contains **30 Multiple Choice Questions**. Each question has four choices (a), (b), (c) and (d) out of which **ONLY ONE** is correct.

91.	A mixture of CO a	and CO2 has vapour dens	ity 20 at STP, 100 g of th	is mixture contains	mole of CO
a)	0.4	b) 0.2	c) 0.625	d) 0.375	
a)b)c)	kinetic energy of n number of gas mol kinetic energy of th	ecules increases he molecules remains san			
d)	pressure of the gas	increases			
	Number of photons 1.01 x 10 ¹¹		o in 10 seconds, if wavele c) 3.03 x 10 ¹⁵	ength of the light is 1000 d) 4.04 x 10 ¹⁹	Å, is
94.	The hybridization of	of atomic orbitals of N in	NO_2^+ , NO_3^- and NH_4^+	are respectively	
			c) sp ² ,sp,sp ³		
		e bond dissociation energ	(all diatomic molecules) gy of X ₂ will be: kJ mol ⁻¹ d) 400 kJ mol ⁻		and ΔH_f of XY is
96.	Van't Hoff factors	of aqueous solutions of 2	X,Y,Z are 1.8, 0.8 and 2.:	5, Hence, their	
•	boiling point: Z < 2 osmotic pressure: 2		b) freezing point: Z < X d) vapour pressure Y <		
97.	K_{sp} of $Mg(OH)_2$	is 1 x 10 ⁻¹² . 0.01 M M	gCl_2 will be precipitating	g at the limiting P^H	
a)	8	b) 9	c) 10	d) 12	
98.	On the basis of info	ormation available for th	e reaction: $\frac{4}{3}Al + O_2 \rightarrow$	$\frac{2}{3}Al_2O_3; \Delta G = -827kJ$	I/mol of O_2 , the
	minimum emf requ	aired to carry out an elec	trolysis of Al_2O_3 is : (Gi	ven $1F = 96500 C$)	
a)	2.14 V	b) 4.28 V	c) 6.42 V	d) 8.56 V	
A-	Consider a success $\xrightarrow{k_1} B \xrightarrow{k_2} C$ e incorrect statemen		er)		
a)	Concentration of A	A decreases exponentially	with time		

b) Concentration of both B and C first increases, reaches maxima, then decreases

c)	If $k_1 < k_2$ and k_2	$< k_3 [B]_{\text{max}} $ v	vill be great	er than $[C]_{max}$			
d)	If $k_1 > k_2$ and k_2	$< k_3 [B]_{\text{max}} $ v	vill be great	er than $[C]_{\text{max}}$			
Reto to t	O. Assertion (A): Cason (R): Due to sifer bigger particl Both (A) and (R) Both (A) and (R) (A) is true but (R) Both (A) and (R)	imilar nature o es are true and (l are true and (l) is false	of the charge R) is the cor	carried by the	on of (A)	they repel each other and do not	t combine
	1. Which is the mo SnO ₂	ost basic oxide b) K ₂ O	?	c) CuO	d) FeO		
	2. Which of the fol KCN b) Na	llowing acts as aCN c)				cess? per sulphate	
103	3. $CO + 2H_2 - \frac{300}{2}$	$0^{o/300atm} \rightarrow CH_3$	$_{3}OH$, the ca	atalyst is			
		b) Cr ₂ O ₃ /Z				d) Al_2O_3	
b)c)d)	Li ⁺ ion is exception Sodium oxide is a Lithium is the str All alkali metals	amphoteric in ongest reducin and alkaline ea	nature ng agent arth metals g	give blue color	ation in liq	uid ammonia	
	5. The structures of $(SiO_4)^{4-}$	f quartz, mica, b) $(SiO_3)^{2-}$	asbestos ha	c) $(SiO_3)^2$	n basic uni	t of d) SiO ₂	
100	6. For advertiseme	nt the coloured	d discharged	l tubes contain			
	He	b) Ne	a discharge	c) Ar		d) Kr	
a)	7. Given below, ca [RhCl(pph ₃) ₂]: H V ₂ O ₅ : Haber-Bose	ydrogenation	responding p		$I(C_2H_5)_3:I$	ned. The mismatch is Polymerization ion	
108	8. The EAN of <i>Co</i>	$o(CO)_4$ is 35. I	t attains stal	bility by			
a) Oxidation of $\left[Co(CO)_4\right]$			b) Reduction of $\left[Co(CO)_4\right]$				
c)]	Dimerization of [C	$Co(CO)_4$		d) Both b and	d c		
a)]	9. Carcinogenic po Polychlorinated bip Tetrachloroethene		Collowing is	b) Sodium cl d) Both a and			
110	~				-	d according to Kjeldahl's meth	

110. 29.5 mg of an organic compound containing nitrogen was digested according to Kjeldahl's method and the evolved ammonia was absorbed in 20 mL of 0.1 M HCl solution. The excess of acid required 15 mL of 0.1 M NaOH solution for complete neutralization. The percentage of nitrogen in the compound is

111. Hyper conjugation involves overlap of the following orbitals:

- a) $\sigma \sigma$
- b) σp
- c) p-p
- d) $\pi \pi$

112. What volume of methane at NTP is formed from 8.2 gm of sodium acetate by fusion with soda lime

- a) 10 litre
- b) 11.2 litre
- c) 5.6 litre`
- d) 2.24 litre

113.

$$C = CH$$

$$C - CH_3$$

$$HgSO_4/di.H_2SO_4$$

$$H_3O^+, \Delta$$
Product is

a)

$$CH - CH_3$$

b)

$$CH_3$$

$$C \searrow CH$$

$$C \supset CH$$

$$C \supset CH$$

c)

$$CH_2 - CH_3$$

$$C - CH_3$$

d)

114. How many monochloro derivatives are possible when 3-methylpentane is subjected to free radical chlorination? (including stereo isomers)

a) 7

b) 5

c) 6

d) 4

115. $(CH_3)_2 NH \xrightarrow{KMnO_4} A$, $(CH_3)_2 NH \xrightarrow{H_2SO_5} B$. Here A and B are

a) Tetramethylhydrazine and dimethyl hydroxyl amine

	b) Dimethylphenol am	ine and Tetramethyl hy	drazine		
	c) Tetramethylhydrazir	ne and Tetramethyl hyd	razine		
	d) Dimethyl hydroxyl a	amine and Dimethyl hyd	droxyl amine		
	116. Gutta-percha, a na	aturally occurring highl	y crystalline non-elastic	rubber, consist	ts of
	a) 1, 4-polyisoprenes in	n which all the double b	onds have E-configurat	ions	
	b) 1, 4-polyisoprenes in	n which all the double b	onds have Z-configurat	tions	
	c) A mixture of Z-1, 4-	polyisoprenes and E-1,	4-polyisoprenes		
	d) 1, 4-polyisoprenes in	n which some double bo	onds have Z-configuration	ons and some	other have E-configurations
	117. Statement-I: Gluc	ose is in pyranose form	and has free anomeric	hydroxyl group)
	Statement -II: In sucro	se, glucose is in pyrano	se form and fructose is	in furanose for	m
	a) Both I and II are true	e b) I is true, but II is fa	lse		
	c) I is false, But II is tr	ue	d) both I and II are t	false	
	118. The drug used for	the treatment of throat	infection is		
	a) quinine		b) piperazine		
	c) sulpha drug like sulp	phanilamide	d) isonicotin hydraz	ride	
	119. Which of the follo	owing statement is not o	correct?		
	a) Only α – amino acio	ds are obtained on hydr	olysis of proteins		
	b) The amino acids wh	ich are synthesized in t	he body are known as n	on-essential am	nino acids
	c) There are 20 essentia	•	J		
	•		the $-NH_2$ group on the	loft side	
	d) L-ammo acids are re	epiesemed by writing th	10^{-1} group on the	icit side	
	120. In a reaction invo	lving ring substitution o	of C ₆ H ₅ Y, the major pro	duct is meta-iso	omer. The group Y can be
	$a) - NH_2$	b) – COOH	c) -CH ₃	d) -Cl	
		Section-B	IOLOGY		
		200001			
		•	ons. Each question ha	s four choices	s (a), (b), (c) and (d) out of
which	ONLY ONE is correct	et.			
	121. When two or musing the epithet?	•	new species or prop	oose a new na	me, their names are linked
	a) In	b) Ex	c) emend	d) et	
	122 Members of wh	ich kingdom have cel	l walls and are all het	erotrophic?	
	a) Plantae	b) Fungi	c) Animalia	d) Protista	
	, =	- / -	-,	_,	
	123. Squamous epith	elium occurs in inner	lining of		
	a) Kidney	b) Pancreatic duct	c) Lung Alveoli	d) Heart	

a) Eukaryotic cells hab) Prokaryotic cells hac) Eukaryotic cells ha	Howing statements is to ave membrane-bound on ave a nucleus ave genetic information are surrounded by a cel	organelles n				
125. DNA structure va) 1953	was discovered by Wat b) 1962	tson and Crick in c) 1952	d) 1951			
-	omena that begins whe	en sugar solution is sep	parated from water by a semipermeable			
membrane? a) Osmosis	b) Diffusion	c) Imbibition	d) Translocation			
127. This is a rich so a) Rice	ource for Vitamin C b) Milk	c) Egg	d) Lemon			
 128. Synthesis of ADP + Pi → ATP in grana is a) Phosphorylation b) Photophosphorylation c) Oxidative Phosphorylation d) Photolysis 						
129. Citric acid cycle a) Cytosol	e takes place in b) Peroxisomes	c) mitochondria	d) None of these			
130. Coiling of garde a) Thermotaxis	en pea tendrils around a b) Thigmotaxis	any support is an exam c) Thigmotropism	nple of d) Thigmonasty			
131. The instrument a) ECG	used for measuring blo b) Stethoscopec) Sph	•	as d) EEG			
	132. Amount of blood passes through kidney per minute is a) 110-200 ml b) 150-200 ml c) 100-120 ml d) 50-100 ml					
133. Hinge jointsa) Are synovial jointsc) Are found in knee	a) Are synovial joints b) Permit movements in one direction					
134. When a neuron is in resting state i.e. not conducting any impulse, the axonal membrane is a) Comparatively more permeable to K^+ ions and nearly impermeable to Na^+ ions b) Comparatively more permeable to Na^+ ions and nearly impermeable to K^+ ions c) Equally permeable to both Na^+ and K^+ ions d) Impermeable to both Na^+ and K^+ ions						
135. Parthenocarpy l a) Seed fruit	eads to b) Seedless fruit	c) No fruit	d) Seed formation			
136. Tyson's glands a) urethra	occur in male on b) scrotum	c) prepuce	d) epididymis			
137. Chromatin is co	omposed of					

a) Nucleic acid and proteinc) Only protein	b) Only Nucleic acidd) None of these
138. B-lymphocytes area) Formed in bone marrowb) Preprocessed in bone marrowc) Preprocessed in liverd) Both Formed in bone marrow an	d Preprocessed in bone marrow
139. Choose the complex fertilizera) Potassium sulphatec) Triple super phosphate	b) Calcium ammonium nitrate d) Urea ammonium phosphate
140. Hop flowers are used fora) Gluconic acid productionc) Vinegar production	b) Citric acid productiond) Beer production
141. The two DNA strands are held a) Nitrogen b) Oxygen	together by bonds of c) Hydrogen d) Carbon
142. Green Fluorescent Protein wasa) Jellyfishb) Primate	first observed in c) Cuttlefish d) Shark
143. The carrying capacity of a popa) Natalityc) Limiting resources	ulation is determined by its b) Population growth rate d) Mortality
144. The richness of species in an ea) Genetic diversityc) Community diversity	cosystem is termed as b) Species diversity d) All of these
145. Red data book provides data oa) red flowered plantsc) endangered plants and animals	b) red coloured fishes d) red eyed birds
146. The Taj Mahal is being affected a) Noise pollution b) Air pollution	•
147. Blood flow in lungs is circulata) Cardiac circulationc) Pulmonary circulation	ed by b) Gastric circulation d) trachea
148. Which of these is true for gastra) Kill bacteriac) Include hydrochloric acid	ric juices? b) Digest food d) All of these
149. Which of the following countral a) India b) South Africa	· ·

150. Disease caused by eating fish inhabiting mercury contaminated water is

a) Hiroshima episode

b) Mina-mata disease

c) Bright's disease

d) Osteosclerosis

To view more Previous Year Question Papers login to https://admission.lpu.in/